

# Ricoh Aficio SG 3110DN/SG 3110DNw



## Full-color printing for any budget or environment

The compact, easy-to-use RICOH® Aficio® SG 3110DN/SG 3110DNw GELJET™ printer delivers high-quality color output without compromising productivity, the environment or your budget. It combines the convenience and value of inkjet printing with the speed, consistency and advanced media handling capabilities of a plain paper laser printer. Take advantage of exclusive, fast-drying viscous ink technology to produce compelling color documents that won't smudge or bleed. With its sleek design and front-facing control panel, the printer can be placed virtually anywhere for fast, easy access to key functions. Choose this versatile inkjet system as your primary standalone printer, or as part of a Ricoh Managed Document Services (MDS) strategy to enhance printer fleet performance throughout the enterprise.

### **User-Friendly Design**

The Ricoh Aficio SG 3110DN/SG 3110DNw is designed to be used anywhere. It offers a sleek, compact footprint with full-front access to all key functions, including media loading, document retrieval, misfeeds and ink replacement. With a new front-facing control panel, it enables users to program jobs with ease, whether positioned on the desktop, under a counter or in a cabinet.



### **Network-Ready Capabilities**

More users can print full-color output in more locations — including home offices, retail kiosks and corporate workgroups — with a host of network capabilities. Connectivity is made easy in both Windows and Macintosh environments via a standard hardwired Ethernet or USB 2.0 interface. Performance is bolstered through PCL 5c, PCL 6, and RPCS print drivers and IPv6 support. In addition, the innovative Ricoh Aficio SG 3110DNw offers the added convenience of standard wireless printing to turn any space into a workspace.



## **Exceptional Productivity**

With fast warm-up times and print speeds, users can print crisp, clear, high-quality documents in seconds. Work efficiently and reliably with full-color printing on plain paper — no special stock is necessary. It includes a standard 250-sheet paper tray that can be expanded to 850 sheets. The system is supported by a powerful processor with 128 MB RAM standard for fast, superior performance, even in shared use environments.





# Add versatility, value in a smaller footprint

#### **Eco-Friendly Savings**

The Ricoh Aficio SG 3110DN/SG 3110DNw GELJET printer offers cost-conscious users superior entry-level color performance while reducing their total cost of ownership. With Economy Color Mode, users can produce compelling color prints for about the same cost as black-and-white output. Permanent print heads never need replacing. Users simply replace the ink for longer-lasting performance and minimal waste. Plus, the printer uses less electricity in active mode compared to laser printers for even more energy savings.



#### **Incredible Image Quality**

Balance high-quality color with cost-effective performance. The Ricoh Aficio SG 3110DN/SG 3110DNw supports up to 1200 x 1200 dpi, 2-bit (equivalent to 3600 x 1200 dpi) resolution. As a result, users can produce professional reports, presentations and marketing materials with crisp lines and vibrant color in-house for minimal cost. In addition, the fast-drying, waterproof viscous ink ensures one- or two-sided documents maintain clarity in virtually any environment, including the rain or sun, without smearing, smudging or fading.



## **Eye-Catching Affordability**

Engineered with an innovative interactive pumping system, these powerful GELJET printers minimize ink consumption to ensure efficient, low-cost operation. The ink is specially formulated to prevent clogs and flows in both directions to maintain negative pressure in the head-nozzle. As a result, every document is produced to maximize visual impact with less ink to reduce operating costs.



#### Ricoh Aficio SG 3110DN/SG 3110DNw

SYSTEM SPECIFICATIONS



#### **General Specifications**

Ricoh Aficio SG 3110DN Part # 405750 Ricoh Aficio SG 3110DNw Part # 405753 Configuration Desktop

On-demand Piezo Inkjet System Technology Pigment-based ink (All four colors) Ink Type Control Panel 16 characters x 2-line monochrome LCD 3600 x 1200 dpi equivalent (maximum) Resolution

(RPCS Driver only)

Print Speed High Speed Mode (300 x 150 dpi): Black & White: 29 pages-per-minute; Full-Color: 29 pages-per-minute Speed Priority Mode (600 x 300 dpi): Black & White: 10.5 pages-per-minute Full-Color: 9.0 pages-per-minute

Warm-Up Time 35 seconds or less Recovery Time 1.6 seconds

from Energy Saver Mode First Print Speed

Black & White: 5.5 seconds or less Full-Color: 7.0 seconds or less Paper Sizes Standard Paper Tray and Optional Multi-

Bypass Tray: Letter (8.5" x 11"), Legal (8.5" x 14"), Half Letter (5.5" x 8.5"), Executive (7.25" x 10.5"), F (8" x 13"), Folio (8.25" x 13"), Foolscap (8.5" x 13"), A4 (210 x 297 mm), A5 (210 x 148 mm), A6 (105 x 148 mm), 16 Kai (195 x 267 mm) Envelopes: Com10, Monarch, C6, C5, DL Custom Size (Standard Tray): 3.5" x 5.5' 8.5" x 14" (88 x 139 mm – 216 x 356 mm) Custom Size (Optional Multi-Bypass Tray): 2.1" x 5.0" – 8.5" x 51" (55 x 127 mm –

216 x 1296 mm)

Optional Paper Feed Unit: Letter (8.5" x 11"), Legal (8.5" x 14"), Executive (7.25" x 10.5"), F (8" x 13"), Folio (8.5" x 13"), Foolscap (8.25" x 13"), A4 (210 x 297 mm), A5 (210 x 148 mm), A6 (105 x 148 mm),

16 Kai (195 x 267 mm) Custom Size: 4.1" x 5.8" – 8.5" x 14'

(105 x 148 mm - 216 x 356 mm) Standard Paper Tray: 16 – 42 lb. Bond/ 90 lb. Index (60 – 163 g/m²)

Optional Multi-Bypass Tray: 16 - 68 lb. Bond/140 lb. Index (60 - 256 g/m²) Optional Paper Feed Unit: 16 – 28 lb.

Bond (60 - 105 g/m²) 250-Sheet Paper Tray Standard Paper Supply Optional Paper Supply 100-Sheet Multi-Bypass Tray 250-Sheet Paper Feed Unit (1 or 2 may

be added) 850 sheets

Maximum Paper Capacity Automatic Duplexing Output Capacity Acceptable Paper Types

Paper Weight

Standard 100 sheets (Face up)

Standard Paper Tray: Plain Paper, Inkjet Plain Paper\*, Glossy Paper\*, Postcard, Inkjet Postcard, Envelope

Optional Multi-Bypass Tray: Plain Paper, Inkjet Plain Paper\*, Glossy Paper\*, Postcard, Inkjet Postcard, Envelope\*, Thick Paper

Optional Paper Feed Units: Plain Paper, Inkjet Plain Paper\*, Glossy Paper

\*Simplex only

Dimensions (WxDxH) 15.7" x 17.2" x 8.4" (399 x 436.5 x 212.5 mm) 23.1 lb. (10.5 kg) Weight Power Requirements 100 - 120V, 50/60Hz

ENERGY STAR version 1.2 compliant Power Consumption SG 3110DN: 26.7W or less SG 3110DNw: 27.4W or less SG 3110DN (with USB): 0.66W: Energy Saver Mode

SG 3110DN (with USB + Ethernet): 0.73W; SG 3110DNw (with USB + WiFi): 2.54W US: UL60950-1, FCC Part 15, Subpart

Canada: CAN/CSA C22.2 No. 60950-1, IC ES-003, IC RSS-210

**Print Controller Specifications** 

CPU PowerPC 464FP

Safety Regulations

Memory 128 MB RAM (standard/maximum) 45 PCL, 13 International Fonts Printer Languages/Drivers PCL 5c, PCL 6, RPCS Raster Standard Interfaces SG 3110DN: USB 2.0, Ethernet

10/100Base-TX SG 3110DNw: USB 2.0, Ethernet 10/100Base-TX, IFFF 802.11b/g/n

Network Protocols TCP/IP

Windows XP, Vista, Server 2003. Supported Environments

Server 2008, 7 Mac OS X v.10.5+

Citrix Presentation Server 4.0+; XenAPP 5.0+

Novell NetWare via 3rd party gateway Web Image Monitor, SmartDeviceMonitor, Software Utilities Remote Communication Gate Type

BN-1, SDM for Admin Accounting Report Package, DeskTopBinder Lite

#### **Hardware Options**

Part # 405759 - Type BY1040 Multi-Bypass Tray

100 sheets Capacity Acceptable Paper Size 2.1" x 5.0" - 8.5" x 51" (55 x 127 mm -

216 x 1296 mm), Envelopes Acceptable Paper Weight 16 - 68 lb. Bond/140 lb. Index

(60 - 256 g/m²) 14.8" x 9.2" x 9.0" (376 x 234 x 230 mm) Dimensions (WxDxH)

5 lb. (2.3kg) Weight

Paper Feed Unit

Part # 405760 - Type TK1160 250 sheets (1 or 2 may be added) Capacity Acceptable Paper Size 4.1" x 5.8" - 8.5" x 14" (105 x 148 mm -

216 x 356 mm) Acceptable Paper Weight 16 - 28 lb. Bond (60 - 105 g/m²) 15.7" x 14.1" x 3.5" (399 x 360 x 90 mm) Dimensions (WxDxH)

Weight 11 lb. (5kg)

\*USB 2.0 A/B Cable Part # 004051MIU

Length 6 feet

\*USB 2.0 cable is not included with main unit and must be purchased separately

#### Consumables & Yields

Consumables Part # Yield Regular Yield Black Part # 405761 2,500 prints\* Print Cartridge Part # 405762 2,200 prints\* Regular Yield Cvan Print Cartridge Regular Yield Magenta Print Cartridge Part # 405763 2,200 prints\* Regular Yield Yellow Part # 405764 2,200 prints\* Print Cartridge Waste Ink Collector Unit Part # 405783 27,000 prints \*Declared vield values based on ISO/IEC 24711 Inkiet Test Process

Actual yields may vary based on types of images printed and other factors. Yields are approximate and are based on standard (Speed Priority) mode.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

Advanced Exchange Warranty
The Ricoh Africio SG 3110DN and SG 3110DNw Color Printers are under
warranty against defects for a period of one year from the date of purchase
Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. For those products that offer Advance Exchange as a Standard Warranty, Ricoh Support will attempt to diagnose and resolve technical defects via telephone. If Ricoh Support determines that the repair cannot be accomplished over the telephone, a like ocean mines that the legislation are accomplished over the legislatine, a interpolacement product will be shipped at no charge within 24 hours. The original unit must be returned in accordance with the instructions provided inside the replacement product carton. Please refer to warranty documents shipped with the product for more details.















